



# Electro Optical Components, Inc.

5464 Skylane Boulevard, Suite D, Santa Rosa, CA 95403

Toll Free: 855-EOC-6300

[www.eoc-inc.com](http://www.eoc-inc.com) | [info@eoc-inc.com](mailto:info@eoc-inc.com)



## STEADY STATE IR SOURCE Model EK-8523

Helioworks offers a unique steady state infrared emitter for the mid IR spectrum that operates at up to 950° Centigrade in an industry standard TO-8 package. A Zinc Selenide (ZnSe) window provides spectral transmission to over 14 microns.



### Key Features Include:

- Kanthal Filament with Emissivity of 0.7
- Zinc Selenide (ZnSe) Window
- Internal Gold Plated Parabolic Reflector
- Industry Standard TO-8 Package


### Electrical Specifications:

Peak Voltage = 3.0 Volts MAXIMUM

Peak Current = 1.48 Amps

Peak Power = 4.4 Watts

### Current vs Voltage




V	I	W=VI	R=V/I
0.50	0.26	0.13	1.90
1.00	0.52	0.52	1.92
1.50	0.75	1.13	2.00
2.00	0.99	1.99	2.01
2.50	1.23	3.08	2.03
2.80	1.38	3.87	2.03
3.00	1.48	4.43	2.03

Approximate 950° C

### Radiant Exitance

Volts = 3.0, Distance - 3.0 inches from source



Polar Angle	Average Intensity (Watts/Cm2)
-20	1.60E-02
-15	2.00E-02
-10	2.37E-02
-5	2.60E-02
0	2.65E-02
5	2.45E-02
10	2.10E-02
15	1.75E-02
20	1.40E-02